

**To:** Appleby, Charlie[Appleby.Charlie@epa.gov]; Goehl, Sara[Goehl.Sara@epa.gov]; Myer, Shari[Myer.Shari@epa.gov]; Hoff, Melanie[Hoff.Melanie@epa.gov]  
**Cc:** Taylor, Lucinda[Taylor.Lucinda@epa.gov]  
**From:** Gannon, Nick  
**Sent:** Mon 8/10/2015 8:27:42 PM  
**Subject:** RE: CLP - R8 support - info from R8

Charlie,

We'll have to clarify what comes with the TAT and that full deliverables are usually at a later date. The standard deliverables would be our routine reporting mechanism. I just spoke with Caroline and she says that a special MA is not required. The solicitation would be for standard contract analytical work but with modified TAT. I'm going to set up a CC for tomorrow AM for ASB/SMO and R8 to discuss. Thanks! Nick

**From:** Appleby, Charlie  
**Sent:** Monday, August 10, 2015 4:08 PM  
**To:** Gannon, Nick; Goehl, Sara; Myer, Shari; Hoff, Melanie  
**Cc:** Taylor, Lucinda  
**Subject:** RE: CLP - R8 support - info from R8

Nick,

I am concerned that we will not be able to have even PRs available on the SMO portal within 24 hours. An alternative would be to use routine PR scheduling (48 hrs).

I'm not sure what is meant by "standard CLP deliverables" in the list below, although I would assume they understand these must be PRs.

Charlie Appleby

CLP Organic and NRAS Program Manager

Analytical Services Branch

OSWER/OSRTI/TIFSD

(703) 347-0266 (Potomac Yard)

(703) 405-0057 (Mobile)

**From:** Gannon, Nick

**Sent:** Monday, August 10, 2015 3:56 PM

**To:** Goehl, Sara; Myer, Shari; Hoff, Melanie

**Cc:** Appleby, Charlie; Taylor, Lucinda

**Subject:** RE: CLP - R8 support - info from R8

I just spoke with Don:

- R8 needs 24 hr TAT.
- Samples will be sediments, soils and waters.
- Needs total recoverable metals including Hg and hardness. No CN.
- ICP-AES for soil and sediments.
- ICP-MS for surface waters.
- ISM published CRQLs.
- Standard CLP deliverables. R8 will access data via the SMO portal.

I told him we have requested SMO to work up/on a 24 hr TAT MA.

We should send our capacity offer and requirement to Don Tuesday morning. He will present to R8 management.

**From:** Goehl, Sara  
**Sent:** Monday, August 10, 2015 3:47 PM  
**To:** Myer, Shari; Gannon, Nick  
**Cc:** Hoff, Melanie; Appleby, Charlie; Taylor, Lucinda  
**Subject:** RE: CLP - R8 support

Thank you Shari,

We currently require labs to provide preliminary results as a pdf of the Form 1s and QC samples. I'm not if we've ever required a Scribe compatible EDD directly from RAS labs. Usually the lab submits PR's as a pdf within 24-72 hours of receipt, then the EDD within 7 days. SMO takes 48-72 hours to process the EDD into the Region-specific format. I'm concerned this won't meet the quick turn-around needs of the project.

Region 8 currently gets the Universal Data Deliverable, which is compatible with Scribe, as are most of the other Regional formats.

Thank you,

Sara

Sara Goehl

CLP Inorganic Program Manager

Data Assessment Support COR

Desk: 703-603-9097

Cell: 571-319-3140

**From:** Myer, Shari  
**Sent:** Monday, August 10, 2015 3:33 PM  
**To:** Gannon, Nick  
**Cc:** Hoff, Melanie; Appleby, Charlie; Goehl, Sara; Taylor, Lucinda  
**Subject:** RE: CLP - R8 support

Hi Nick,

These are questions we need get answered to write an MA:

- ☐ Analyte list (Does this include CN and Hg?)
- ☐ Method: ICP-AES or ICP-MS?
- ☐ Total or Dissolved or both?
- ☐ TAT- 24, 36 or 48 hr.?
- ☐ CRQLs needed?
- ☐ Deliverable format- xml, xls, scribe?

Some of the emails below were new to me. I am concerned about the thought of using ICP-MS and the reporting in Scribe format from the laboratory.

*Shari L. Myer*

*Lead Chemist/Analytical Services Team Lead*

*Quality Assurance Technical Support (QATS) Project Officer*

*Contract Laboratory Program*

*<http://www.epa.gov/superfund/programs/clp/>*

*U.S. EPA  
Office of Solid Waste & Emergency Response*

*Office of Superfund Remediation & Technology Innovation  
Technology Innovation & Field Services Division  
Analytical Services Branch  
(703) 603-8848: phone*

*(703) 405-6187: cell*

**From:** Gannon, Nick  
**Sent:** Monday, August 10, 2015 3:25 PM  
**To:** Caroline Kramer; Kerrie Baciocco  
**Cc:** Hoff, Melanie; Appleby, Charlie; Myer, Shari; Goehl, Sara; Taylor, Lucinda  
**Subject:** CLP - R8 support  
**Importance:** High

Caroline/Kerrie,

We are offering CLP support to regions R6, R8 and R9 for the Gold King Mine Release site. They are looking for ISM lab capacity, 24 hr TAT, and standard CLP deliverables. We are confirming the analyte list. <http://www2.epa.gov/region8/upper-animas-mining-district>

For now:

- 1) Please research the MA database for an existing 24 hr TAT ICP-AES (routine list and CRQLs) MA. If one exists in CASC format please send to ASB.
- 2) If one exists in the old contract format, please update to the new CASC format.
- 3) If nothing exists, please create a new MA in CASC format.

We are confirming the ICP-AES analysis and determining if Hg and CN are required.

There is the possibility for 36 hr and 48 hr TAT work also.

Thanks,

Nick

Nicholas Gannon

USEPA Region 6 Houston Laboratory

10625 Fallstone Rd.

Houston, TX 77099

281.983.2138